

THE **NEXT-GEN** PENTHEON SERIES



THE NEXT-GEN PENTHEON SERIES

MILES
AHEAD



THE NEXT-GEN PENTHEON SERIES

When Holmatro launched the Pentheon Series rescue tools in 2020, first responders around the world became part of a revolution. We gave you the opportunity to discover unrestrained performance for every mission. First hand.

Over the years, our revolutionary cordless cutters, spreaders, rams and combi tools proved indispensable in rescue operations. And now, we offer you a level of performance, usability, connectivity and serviceability unlike anything you've seen before.

This is the next-gen Pentheon Series. Miles ahead.

PENTHEON



THE NEXT-GEN PENTHEON SERIES UNRESTRAINED PERFORMANCE FOR YOUR MISSION

- UNRIVALED PERFORMANCE -

- SUPERIOR USABILITY -

- ADVANCED CONNECTIVITY -

- EXCEPTIONAL SERVICEABILITY -


**IMPRESSIVELY
FAST.
UNBELIEVABLY
PRECISE.**

**UNRIVALED
PERFORMANCE.**


When you explore the power of Pentheon, you will have the fastest and most advanced rescue tools in the world. Whether you need speed, precision or durability, Pentheon always delivers an extraordinary level of performance. Enabling you in making every rescue operation successful.

**PRECISION.
SHIFTED INTO OVERDRIVE.**

Speed, efficiency and a prolonged battery life? With the next-gen Pentheon Series, both power and time are on your side. As is flexibility. You can effortlessly switch between training and high speed mode and benefit from Pentheon's patented Stepless Speed Maximization in each mode.



UNPARALLELED TOOL SPEED AT ANY LOAD




UNPARALLELED TOOL SPEED AT ANY LOAD



POWER THAT LASTS A LIFETIME.

The next-gen Pentheon Series takes durability to the max. Literally. Whether you use your tools for the first time, or arrive at an incident with equipment that's been used countless times, a smart sensor ensures that you'll always have access to constant, maximum power.




IN CONTROL WITH A TWIST OF THE WRIST.

The unparalleled speed of Pentheon is most useful when dosed. That's why the clever two-speed inline control handle lets you take full command. Easily switch between high- and low-speed at any time and experience stepless speed, proportional to how far you turn the handle.

THIS BATTERY GIVES IT ALL. AND MORE.

Cordless yet mighty, Pentheon is miles ahead in terms of uninterrupted operating time. The battery delivers optimum performance while the mechatronic drive technology ensures unmatched efficiency. And thanks to automated start/stop and temperature monitoring, there is no energy waste.



UNLEASH YOUR FULL POTENTIAL.


SUPERIOR USABILITY.

Combining flawless performance with first-class handling has always been one of Pentheon's main goals. The tools must be an extension of you, the first responder. Our next-gen Series forms no exception to this mission. No matter the challenge, Pentheon's ergonomic design gives you the upper hand in taking it on effortlessly.

SUPERCHARGED AND 100% READY.

Charging your tools is a breeze: thanks to intelligent On-Tool Charging you're always ready for action. And when using a power outlet you can connect three chargers to one outlet, allowing you to charge up to six Holmatro batteries simultaneously. Batteries that can also be used to power OmniLock struts.





GO AT IT FROM EVERY POSSIBLE ANGLE.

Experience ultimate freedom in accessing vehicles with the unique 360° inline control handle and indestructible 360° carrying handle that goes around the tool. With the next-gen Pentheon Series, there's nothing holding you back in flawlessly executing every move.

WITHSTAND THE ELEMENTS.

You are able to perform under all imaginable weather conditions. And so is Pentheon. Every tool can operate at high and low outdoor temperatures, withstand rain and snow, and can even be used under water. Enabling you to continue your mission no matter what.



LED IT GUIDE YOU.

Knowledge is power. That's why all Pentheon tools, batteries and chargers have LED indicators that give you crystal clear feedback. Updating you on tool temperature, battery temperature, state of charge and state of health, and also giving you an alert if service is needed.

MAKE YOURSELF HEARD.

Pentheon's new and improved drive system not only gives you power and efficiency, it also ensures tool operation at a lower sound level. Extremely useful in allowing you to better communicate at a rescue scene and preventing the increase of patients' stress.



**INSIGHTS
AT YOUR
FINGERTIPS.**

**ADVANCED
CONNECTIVITY.**

Holmatro leads the way in implementing technological innovations. With the undeniable importance of smart products and connectedness in mind, the next-gen Pentheon Series is packed with connectivity features such as Bluetooth and a dedicated app that will receive additional features in the near future!

**INTUITIVELY
INSIGHTFUL.**

Transform your phone or tablet into an extension of your tools with the sophisticated MyHolmatro app. Simply connect Pentheon via Bluetooth and the app will provide realtime tool insights such as battery state of charge and working pressure. Assisting you in getting the most out of every operation.



**ALL. SYSTEMS.
GO.**

Bluetooth connectivity contributes to keeping your tools in perfect working condition. The MyHolmatro app can quickly and easily perform an automated Self Check. The drive system, speed, pressure, and battery firmware, state of health and state of charge are assessed, to ensure the best rescue performance possible.



**BACK
IN ACTION
IN NO-TIME.**

EXCEPTIONAL SERVICEABILITY.

An unmatched uptime is one of the key elements in experiencing unrestrained performance for every mission. To ensure that you can keep on going, we offer the highest level of serviceability on the market. And if you or your asset manager can't perform a tune-up, our authorized dealers and technicians most certainly can.

AN INCREDIBLE SAFETY NET.

You need tools you can rely on. First time. Every time. With an extensive software program, Authorized Holmatro (Dealer) Service Technicians can provide the best service for your Pentheon tools. It combines in-depth tool diagnostics with automated inspection procedures.



ADDITIONAL FEATURES CUTTER
**ONLY THE BEST
 MAKES THE CUT.**



**THE NEXT-GEN
 PENTHEON CUTTER.
 MILES AHEAD.**

Powerful, smart and easy to use, our cutting-edge battery-powered Cutter gives you a head start in every rescue scenario.

For decades, first responders and patients alike have been able to count on us for life. To keep this promise we ceaselessly push the boundaries of technology and innovation. For the latest iteration of the Pentheon Cutters, our engineers worked tirelessly to build tools that are miles ahead in terms of performance, usability, connectivity and serviceability. Giving you a head start in every rescue scenario. Discover the next-gen Pentheon Cutters.



**30° MAKE ALL
 THE DIFFERENCE.**

In situations where every second counts, so does every inch. Thanks to the inclined cutter jaw (mounted at a 30° angle), you have a maximized working space between your tool and a car. This results in safer, quicker and easier cutting, without the need to reposition your tool.

CUT. RIGHT. THROUGH.

The newer the car, the stronger the type of steel. But even the toughest, newest material is no match for Pentheon. The U-shaped blades pull everything into the cutting recess, close to the central bolt, where the cutting force is the highest.

A BOLT UNLIKE ANY OTHER.

Our powerful i-Bolt ensures maximum performance by pressing the blades together directly (without a blade holder in between) and more tightly. Resulting in minimum blade separation and eliminating the need to tighten the bolt after each use of the tool.

BLADES THAT LAST.

Performing under the most challenging conditions, wear and tear is inevitable. With the Cutter's optimized, highly durable cutting edge, you'll be able to extend blade life and delay blade deterioration.

THE PERFECT FIT.

When encountering narrow spaces, the Pentheon Cutter offers a perfect fit thanks to the i-Bolt. Constructed flatter than traditional central bolts, you have much more room to execute every move.

SPECIFICATIONS CUTTERS

MODEL	PCU30CL	PCU40	PCU50	PCU60
Article number	151.002.423	151.002.425	159.000.224	159.000.231
Battery included	no	no	no	no
Max. cutting opening	6.7 in	6.7 in	7.2 in	8.1 in
Theoretical cutting force	123,420 lbf	171,754 lbf	312,260 lbf	396,788 lbf
Round bar (S235 acc. to EN 13204)	1.2 in	1.4 in	1.6 in	1.9 in
Protection rate	IP57	IP57	IP57	IP57
Weight excl. battery	30.2 lb	37.9 lb	44.1 lb	51.8 lb
Weight, ready for use (incl. battery)	33.7 lb	41.4 lb	47.6 lb	55.3 lb
Dimensions (L x W x H)	31.9 x 10.6 x 11.3 in	32.8 x 10.6 x 11.8 in	35.1 x 10.6 x 10.8 in	37.3 x 10.6 x 13 in
EN 13204 classification	BC150F-15.3	BC165I-18.8	BC165K-21.6	CC205K-25.1
EN 13204, cutting capacity	1H 2G 3G 4F 5G	1I 2I 3I 4J 5J	1K 2K 3K 4K 5K	1K 2K 3K 4K 5K
NFPA 1960, cutting capacity	A6 B5 C6 D6 E6 F2	A7 B7 C6 D7 E8 F3	A8 B8 C7 D9 E9 F4	A9 B9 C9 D9 E9 F4

Please see page 40/41 for information on the battery, charger and other accessories.



THE NEXT-GEN PENTHEON CUTTERS

PCU30CL



PCU40



PCU50



PCU60



ADDITIONAL FEATURES SPREADER
**EXPAND YOUR
POSSIBILITIES.**



THE NEXT-GEN PENTHEON SPREADER. MILES AHEAD.

Getting a powerful grip on a rescue situation has never been more intuitive with our best-in-class battery-operated Spreader.

For decades, first responders and patients alike have been able to count on us for life. To keep this promise we ceaselessly push the boundaries of technology and innovation. For the latest iteration of the Pentheon Spreaders, our engineers worked tirelessly to build tools that are miles ahead in terms of performance, usability, connectivity and serviceability. Giving you a powerful grip on every rescue situation. Discover the next-gen Pentheon Spreaders.



Teeth on the outside alternately point into the opposite direction

Taller middle row of teeth on both sides

TAKING GRIP TO THE EXTREME.

When you need speed to position your tool correctly, you'd better use one that immediately offers superior grip on all materials. Pentheon Spreaders are equipped with Extreme Grip Spreader Tips, ensuring phenomenal grip over the full spreading range thanks to various smartly placed teeth inside and out.

SPECIFICATIONS SPREADERS

MODEL	PSP40CL	PSP40	PSP50	PSP60
Article number	151.002.431	159.000.226	159.000.237	159.000.230
Battery included	no	no	no	no
Spreading distance	20.1 in	28.5 in	28.5 in	32.3 in
Min. spreading force (EN 13204)	9,667 lbf	9,667 lbf	12,140 lbf	13,938 lbf
Max. spreading force	29,450 lbf	62,947 lbf	82,280 lbf	117,350 lbf
Max. pulling force	10,791 lbf	11,623 lbf	15,062 lbf	17,760 lbf
Max. squeezing force	10,566 lbf	13,264 lbf	30,349 lbf	28,551 lbf
Protection rate	IP57	IP57	IP57	IP57
Weight excl. battery	30.2 lb	39.5 lb	42.8 lb	51.4 lb
Weight, ready for use (incl. battery)	33.7 lb	43 lb	46.3 lb	54.9 lb
Dimensions (L x W x H)	31.9 x 10.6 x 10.9 in	37.6 x 10.6 x 10.9 in	38 x 10.7 x 10.7 in	41.4 x 12.6 x 10.8 in
EN 13204 classification	--	AS43/725-19.5	AS54/725-21	BS62/820-24.9
NFPA 1960, HPF	10,791 lbf	11,623 lbf	15,062 lbf	17,760 lbf
NFPA 1960, HSF	11,915 lbf	15,557 lbf	20,907 lbf	25,179 lbf
NFPA 1960, LPF	6,070 lbf	6,070 lbf	7,419 lbf	8,543 lbf
NFPA 1960, LSF	8,768 lbf	8,790 lbf	11,240 lbf	13,489 lbf

Please see page 40/41 for information on the battery, charger and other accessories.



THE NEXT-GEN PENTHEON SPREADERS

PSP40CL

PSP40

PSP50

PSP60



ADDITIONAL FEATURES RAM
**PUSH IT
 TO THE LIMIT.**



**THE NEXT-GEN
 PENTHEON RAM.
 MILES AHEAD.**


With our compact, cordless telescopic Ram, creating space to ensure a patient's safety is equally fast as it is controlled.

For decades, first responders and patients alike have been able to count on us for life. To keep this promise we ceaselessly push the boundaries of technology and innovation. For the latest iteration of the Pentheon Rams, our engineers worked tirelessly to build tools that are miles ahead in terms of performance, usability, connectivity and serviceability. Ensuring that the path to a patient's safety is equally fast as it is controlled. Discover the next-gen Pentheon Rams.



**GO THE DISTANCE.
 AND BEYOND.**

Many of our innovations originate in our ongoing drive to make things simpler and more elegant. So why use rams with multiple lengths, when an extension pipe can do the trick? With Smart Ram Extension you're able to cross every distance with ease, while the ram automatically adapts its force to the new maximum length.



LASER PRECISE POSITIONING.

Positioning a ram under pressure is no easy feat. Luckily every Pentheon Ram is equipped with an integrated laser pointer in the ram head. Marking the exact spot where the ram will touch the object after extension. This enables first-time-right positioning, which saves time and is safer for patients.

ERGONOMICS. TIMES TWO.

Effortless and intuitive tool placement is paramount in executing a ramming operation. Pentheon's double carrying handle makes it easy to place the tool on both sides of a car as well as to hold the ram inside a car where space is limited.

SPECIFICATIONS RAMS

MODEL	PRA40	PRA50	PTR40	PTR50
Article number	159.000.239	159.000.240	159.000.238	159.000.227
Battery included	no	no	no	no
Plunger type	single	single	telescopic	telescopic
Extended length	23.6 in	38.8 in	31.2 in	53.7 in
Retracted length	15.2 in	22.8 in	15.2 in	22.8 in
Total spreading stroke	8.5 in	16 in	16 in	31 in
Spreading stroke 1st plunger	--	--	8.5 in	15.9 in
Max. spreading force 1st plunger	--	--	30,574 lbf	30,574 lbf
Spreading stroke 2nd plunger	--	--	7.6 in	15 in
Max. spreading force 2nd plunger	--	--	14,613 lbf	14,613 lbf
Spreading force over full stroke	30,574 lbf	30,574 lbf	--	--
Protection rate	IP57	IP57	IP57	IP57
Weight excl. battery	27.8 lb	36.8 lb	30.9 lb	41.9 lb
Weight, ready for use (incl. battery)	31.3 lb	40.3 lb	34.4 lb	45.4 lb
Dimensions (L x W x H)	15.2 x 10.1 x 17.4 in	22.8 x 10.1 x 17.4 in	15.2 x 10.1 x 17.4 in	22.8 x 10.1 x 17.4 in
EN 13204 classification	R136/215-14.2	R136/407-18.3	TR136/215-65/192-15.6	TR136/405-65/382-20.6
NFPA 1960, HSF	30,574 lbf	30,574 lbf	30,574 lbf	30,574 lbf
NFPA 1960, LSF	30,574 lbf	30,574 lbf	14,613 lbf	14,613 lbf

Please see page 40/41 for information on the battery, charger and other accessories.



THE NEXT-GEN PENTHEON RAMS

PRA40



PRA50



PTR40



PTR50



ADDITIONAL FEATURES COMBI TOOL
**THE PERFECT
COMBINATION.
PERFECTED.**



THE NEXT-GEN PENTHEON COMBI TOOL. MILES AHEAD.

Delivering final proof that one plus one does equal three, our battery-powered Pentheon Series Combi Tool truly does it all.

For decades, first responders and patients alike have been able to count on us for life. To keep this promise we ceaselessly push the boundaries of technology and innovation. For the latest iteration of the Pentheon Combi Tools, our engineers worked tirelessly to build tools that are miles ahead in terms of performance, usability, connectivity and serviceability. Delivering final proof that one plus one sometimes actually equals three. Discover the next-gen Pentheon Combi Tools.



Removable tips on models PCT50/60

MAKE A CLEAN CUT.

The Pentheon Combi Tools are up for every cutting challenge. Two grip teeth at the inside of the blade prevent the material from being pushed out when cutting. And to cut material without crushing it, simply remove the tips from the blades with your hands and put them back when you're done.



Grip tooth / teeth at the inside of each combi tool blade (PTC50/60 models only)

THE PERFECT FIT.

When encountering narrow spaces, the Pentheon Combi Tool offers a perfect fit thanks to the i-Bolt. Constructed flatter than traditional central bolts, you have much more room to execute every move.

A BOLT UNLIKE ANY OTHER.

Our powerful i-Bolt ensures maximum performance by pressing the blades together directly (without a blade holder in between) and more tightly. Resulting in minimum blade separation and eliminating the need to tighten the bolt after each use of the tool.



SPECIFICATIONS COMBI TOOLS

MODEL	PCT11	PCT14	PCT50	PCT60
Article number	159.000.228	159.000.229	159.000.225	159.000.236
Battery included	no	no	no	no
Spreading distance	11.1 in	14.3 in	15 in	18.4 in
Min. spreading force (EN 13204)	10,791 lbf	7,419 lbf	9,667 lbf	10,004 lbf
Max. spreading force	303,492 lbf	303,492 lbf	418,145 lbf	418,145 lbf
Max. cutting opening	7.7 in	10.9 in	12.6 in	394 mm
Theoretical cutting force	60,249 lbf	60,249 lbf	150,622 lbf	208,848 lbf
Round bar (S235 acc. to EN 13204)	0.9 in	0.9 in	1.4 in	1.6 in
Max. pulling force	--	--	23,380 lbf	23,605 lbf
Max. squeezing force	9,892 lbf	7,644 lbf	19,558 lbf	19,761 lbf
Protection rate	IP57	IP57	IP57	IP57
Weight excl. battery	26.9 lb	27.8 lb	41.7 lb	48.3 lb
Weight, ready for use (incl. battery)	30.4 lb	31.3 lb	45.2 lb	51.8 lb
Dimensions (L x W x H)	26.7 x 10.6 x 10.8 in	28.8 x 10.6 x 10.8 in	35.4 x 10.6 x 10.7 in	39.8 x 10.6 x 10.8 in
EN 13204 classification	BK48/281E-13.8	BK33/362E-14.2	CK43/380J-20.5	CK45/468J-23.5
EN 13204, cutting capacity	1E 2E 3E 4E 5E	1E 2E 3E 4E 5E	1J 2J 3K 4K 5K	1J 2K 3K 4K 5K
NFPA 1960, cutting capacity	A5 B5 C5 D6 E4 F3	A5 B5 C5 D6 E4 F3	A7 B8 C8 D8 E8	A8 B9 C8 D9 E9 F4
NFPA 1960, HPF	--	--	23,380 lbf	23,605 lbf
NFPA 1960, LPF	--	--	17,917 lbf	19,423 lbf
NFPA 1960, HSF	11,690 lbf	8,992 lbf	9,554 lbf	10,589 lbf
NFPA 1960, LSF	8,992 lbf	6,744 lbf	7,396 lbf	8,813 lbf

Please see page 40/41 for information on the battery, charger and other accessories.



THE NEXT-GEN PENTHEON COMBI TOOLS

PCT11



PCT14



PCT50



PCT60



PENTHEON ACCESSORIES

SPREADERS

FOR ALL MODELS



Battery PBPA288

Battery PBPA288 (for all models)	
Article number	151.004.490
Battery type	Li-Ion
Capacity	8 Ah
Energy	202 Wh
Voltage	28 VDC
Protection rate	IP68



Battery Charger PBCH2

Required accessories (for all models)	Article number
Battery Charger PBCH2 (AC-US)	151.000.742


FOR ALL MODELS



Mains Power Connector PMC2



On-Tool Charging Cord POTC1



Daisy Chain Power Cord DCPC1



Battery Diagnostic Tool PBDT1

Accessories (for all models)	Article number
Mains Power Connector PMC2 (US)	151.000.743
On-Tool Charging Cord POTC1*	151.000.499
Daisy Chain Power Cord DCPC1**	151.000.503
Tool Diagnostics Cord PTDC1***	151.000.508
Battery Diagnostics Tool PBDT1****	151.000.509
Battery Pouch BP01	151.002.119
Carrying Strap CST01	151.004.757

* On-Tool Charging Cord POTC1; Cable to connect a Pentheon tool to the charger for the purpose of on-tool battery charging. The battery on the tool has priority over the battery on the charger.

** Daisy Chain Power Cord DCPC1; Cable to connect 2 battery chargers. Up to 3 chargers can be connected to each other and powered from one outlet.

*** Tool Diagnostic Cord PTDC1; Cable to connect a Pentheon tool, or the Battery Diagnostic Tool, to a laptop or pc. Holmatro has developed special software for battery and tool diagnostics.

**** Battery Diagnostic Tool PBDT1; To be used with Tool Diagnostic Cord PTDC1.



Tool Diagnostic Cord PTDC1



Battery Pouch BP01



Carrying Strap CST01




Accessories (for model)	PSP40CL	PSP40	PSP50	PSP60
1 Pulling Attachment Set	150.182.273	150.182.274	150.182.274	150.182.275
2 Cutting Tip Set	--	150.006.474	150.006.474	150.006.466
3 Pulling Chains Set In Case	150.582.021	150.582.021	150.582.021	150.582.020
4 Pulling Chains Set	150.582.152	150.582.152	150.582.152	150.582.261

RAMS



Extension Pipe TRE04



Extension Pipe TRE5



Cross Ram Support Set XRS01



Ram Support HRS 22 NCT



Ram Support HRS 22

Accessories (for all models)	Article number
Extension Pipe TRE04, length: 220 mm	151.001.771
Extension Pipe TRE05, length: 440 mm	151.001.902
Cross Ram Support Set XRS01	151.001.164
Ram Support HRS 22 NCT	150.003.105
Ram Support HRS 22	150.181.011

COMBI TOOLS



Pulling Attachment Set PAS 07



Pulling Chains Set In Case PCS 04



Pulling Chains Set PCS 03

Accessories (for models PCT50 / PCT60)	Article number
Pulling Attachment Set PAS 07	150.182.078
Pulling Chains Set In Case PCS 04	150.582.020
Pulling Chains Set PCS 03	150.582.261

HOLMATRO RESCUE EQUIPMENT PRESENTS

THE FINAL CUT.



**THE FIRST CORDLESS MINI CUTTER
TO COMPLETE ANY RESCUE SET.**



**THE FIRST CORDLESS MINI CUTTER
TO COMPLETE ANY RESCUE SET.**

SPECIFICATIONS MINI CUTTER

MODEL	CCU10
Article number (incl. 2 x 2Ah battery)	151.001.500
Battery included	yes
Cutter jaw	inclined
Theoretical cutting force	49,458 lbf
Blade opening	2.3 in
Weight, ready for use (incl. battery)	10.8 lb
Round bar	0.9 in
Integrated lighting / i-Bolt	✓ / ✓

ADDITIONAL FEATURES MINI CUTTER

CORDLESS DESIGN

- Immediately ready for use
- Maximum operational freedom
- Requires minimal space in the rescue vehicle

SMART BATTERY TECHNOLOGY

- Up to 70 cuts with one 2Ah battery
- LED light powered by the main battery
- Part of the Cordless Alliance System (CAS):
Battery compatible with other professional power tools



SUPERIOR CUTTING PERFORMANCE

- Unique inclined cutter jaw for more freedom in positioning the tool
 - Grip teeth on both blades for extra bite when cutting
 - Suitable for cutting car pedals, steering wheels and head rests
- Also for cutting rebar (USAR), fences, steel bars and chains (grade 43)

OPTIMUM TOOL CONTROL

- Variable speed control: push the button further down to increase the tool's speed
- Start-stop mode to save valuable battery time
- Control slide to switch between opening and closing the tool

Required accessories	Article number
Battery charger CBCH2 (AC-US)	159.000.212



Battery Charger CBCH2

With two high-tech production plants in the Netherlands and the USA, the strictest quality, safety and performance standards in the market and a history of groundbreaking product innovations, Holmatro is the world's leading rescue tool supplier. We are very proud to see that Holmatro tools are the first choice of many fire & rescue professionals around the globe.

PERSONAL POWER PUMP

The first lightweight, mobile rescue pump enabling one man to carry a full set of tool, pump and hoses on his own.



INCLINED CUTTING



INCLINED CUTTER

First cutter with a 30-degree angled jaw, improving user comfort and maximizing working space.

T1

All-in-one forcible entry tool for rescue applications

HOLMATRO T1



OMNISHORE

A revolutionary shoring system reimagined from the ground up, designed in accordance with the highest standards of quality and safety.



OmniShore
Safety secured.

A HISTORY OF INNOVATION

1968 1969 1970 1971 1972 1973 1974 1975 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023



720 BAR WORKING PRESSURE

First hydraulic rescue tools operating at a pressure higher than 500 bar. The birth of lighter and more compact rescue equipment.



DOUBLE PLUNGER RAM

First ram with twin plungers. Designed to double the spreading distance without the risk of a plunger bending.



NCT CUTTERS

First cutter with U-shaped NCT (New Car Technology) blades, specially designed to cut new car construction.



BATTERY TOOLS

First high-performance battery-powered rescue tools. Easy to carry and handle thanks to a low weight (< 15 kg incl. battery).



CORE TECHNOLOGY

The world's first single hose / single coupler system. A turning point in rescue tool technology, making rescue procedures safer, quicker and easier.

PENTHEON SERIES

Unparalleled speed, ultimate control and the unrestrained performance to keep working in all circumstances. Miles ahead of all other rescue tools in the market.



MINI CUTTER

The first Cordless Mini Cutter to complete any rescue set.

YOU CAN COUNT ON US, FOR LIFE

holmatro.com

 holmatro.usca

 holmatro_usca

 holmatro_usca

Holmatro USA

Glen Burnie MD,
USA

T 410-768-9662